Certified Translation

[Marked: Exhibit 11]

Sofia Esteves

From: "Rafael Mullet" <rem©tcmrslaw.com>
To: "'Sofia Esteves'" <sofia.esteves@indianowilliams.com>
Sent: Thursday, June 28, 2007 4:24 PM
Subject: RE: American Waste Management and Recycling

With regard to your client's requests, I can advise you that with respect to Canopi's authorization, Cemex authorizes the removal from its facilities of the 8 containers requested, subject to inspection in the morning of the contents of the containers by Cemex personnel. As for the request regarding American Waste equipment, tomorrow we will contact you to coordinate when and how to carry out an inventory of the equipment and the removal of the American Waste equipment you may want to remove.
We will also communicate with you tomorrow to coordinate the safety work that in the view of American Waste should be carried out at the facility during this period.

Rafael Mullet
Tel. 787 751-8999
Fax 787 763-7760

From: Sofia Esteves [mailto:sofia.esteves@indianowilliams.com]
Sent: Wednesday, June 27, 2007 4:56 PM
To: Rafael Mullet
Subject: Re: American Waste Management and Recycling

Rafael:

I enclose a PDF copy of a note I wrote you this afternoon, that I am also sending by fax and by mail. I know you are out of the office for the rest of the day, but this is somewhat urgent. It is regarding what we discussed yesterday about the containers that are ready to be shipped on Friday, equipment that needs to be removed from the facilities as we agreed (according to the email below), and other matters. I will appreciate all that you can do to expedite this matter to mitigate my client's damages while you get things organized.
Please don't hesitate to call me if you have any questions.
Regards,

Sofia Esteves

--- Original Message ----
From: Rafael Mullet
To: 'Sofia Esteves'
Sent: Tuesday, June 26, 2007 5:42 PM
Subject: RE: American Waste Management and Recycling

As discussed, Cemex will not allow any Canopi Ecoterra or American Waste personnel to enter its facilities until this situation is resolved. As was discussed, I have asked that Mr. Abe Shah (nor any American Waste personnel [sic]) not to contact any Cemex personnel until this issue is decided and that all communication between American Waste and Cemex be through you or any other American Waste counsel through me. Regarding the American Waste equipment that is on Cemex premises, if American Waste should need to remove any of it, they will contact me to make their request.

Rafael Mullet
Tel. 787 751-8999
Fax 787 763-7760

From: Sofia Esteves [mailto:sofia.esteves@indianowilliams.com]

I, Juan E. Segarra, USCCI/Translator, certify that the foregoing is a true and accurate translation, to the best of my abilities, of the document in Spanish which I have seen.

Dockets.Justia.com

Certified Translation

Sent: Tuesday, June 26, 2007 5:29 PM
To: rem@tcmrslaw.com
Subject: Fw: American Waste Management and Recycling

----- Original Message —
From: Sofia Esteves
To: rem@tcmrslaw,com
Sent: Tuesday, June 26, 2007 12:51 PM
Subject: American Waste Management and Recycling

Dear Rafael:
I am attaching several documents that will help you get a better picture of this situation. I include: contracts between Ecoterra and us and Ecoterra and you (very similar); letters from Rafael Valiente representing Ecoterra regarding our termination of the project; and letters to the CEMEX management, explaining the situation inside the plant that has prevented our client from performing certain work for which we were contracted (which in turn addresses certain concerns Ecoterra has raised with us).

Our position regarding termination is that it is too early in the term of the agreement (it will run for another 5 months still) to determine whether or not we will be in default or not; however, CEMEX has been kept abreast at all times of the problems that we have encountered. That is why I am sending our client's correspondence to you regarding the situation at the plant.

I asked my client directly for the note you asked me for. My client has advised me that some material has already been taken down and put into containers, and is scheduled for shipment on Friday; this is the urgency. My client also has told me that there are violations to federal regulations with the material that has been removed from the structure but has not been shipped in a container or crate (in other words, at this time it is just lying around), and other details. Also, since there is material that is ready for shipping, he has the truckers waiting around to pick up the material, which is costing money. I'm including that for you too, and I thank you in advance for any help you can give me on this matter.

My client wants to meet on Monday of next week. Let me know if you can do it.

I appreciate your cooperation on this matter and I trust we can resolve it soon. My client just wants to complete their project. Please don't hesitate to call me if you have any questions. I will be out of the office this afternoon, but you can reach me at my cell phone, if necessary: 787-645-8374.

Best regards to Tito, Rafi Rivera, and to you,

Ada Sofia Esteves

Ada Sofia Esteves, Esq.
INDIANO & WILLIAMS, P.S.C.
207 del Parque Street, 3d Floor
San Juan, Puerto Rico 00912
Tel: 787-641-4545; Fax: 787-641-4544 sofia.esteves@indianowilliams.com http://www.indianowilliams.com

---

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under the applicable law. If you are not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify Indiano & Williams immediately by telephone at our expense to arrange for the return of the original.

I, Juan E. Segarra, USCCI/Translator, certify that the foregoing is a true and accurate translation, to the best of my abilities, of the document in Spanish which I have seen.

Certified Translation

Sofia Esteves

From: "Antonio Valiente" <antonio@nf-legal.com>
To: <sofia.esteves©indianowilliams.corn>
Cc: "Nilda Carrasquillo" <nilda@nf-legal.com>
Sent: Friday, June 29, 2007 8:29 AM
Subject: FW: I do not authorize under any circumstances the removal of the contents of any of the 8 containers.

Dear Ms. Esteves,

See Ecoterra's position below. I will try to contact you about it.

Regards.

From: Ignacio barsottelli [mailto:ignacio@yolimpio.com]
Sent: Thursday, June 28, 2007 7:45 PM
To: Antonio Valiente; 'Giselle Lantigua'; nhameed@benningtongrp.com; 'May Lai'
Cc: juantomas.emmanuelli@cemex.com.pr; RAMIRO LOZANO CHACON; 'Francine Arocho'; MARIBEL GONZALEZ NIEVES; rem@tcmrslaw.com
Subject: FW: I do not authorize under any circumstances the removal of the contents of any of the 8 containers.
Sensitivity: Private

Dear Antonio as I clearly told you, I have to be vigilant regarding the integrity of the contractual agreement between Cemex and Ecoterra, so for this reason ***I absolutely prohibit*** the removal of the 8 containers in question from the Cemex Ponce plant and if such action is authorized it will be under the full responsibility of Cemex. I repeat: this is in view of correspondence received by Cemex because of the situation and protecting the contractual rights and obligations between Cemex and Ecoterra.
I am formally requesting that you forward the pertinent communication to AWMR and Cemex, to avoid future consequences.

Thanks!
Ignacio Barsottelli
Tel. 787-993-2077

From: Antonio Valiente [mailto:antonio@nf-legal.com]
Sent: Thursday, June 28, 2007 5:37 PM
To: ignacio barsottelli
Cc: Nilda Carrasquillo
Subject: FW: American Waste
Sensitivity: Private

CONFIDENTIAL COMMUNICATION ATTORNEY/CLIENT PRIVILEGED

Dear Ignacio,

I'm attaching the answer so that if you think it prudent you follow CEMEX's recommendations.

From: Rafael Mullet [mailto: rem@tcmrslaw.com]
Sent: Thursday, June 28, 2007 5:31 PM

I, Juan E. Segarra, USCCI/Translator, certify that the foregoing is a true and accurate translation, to the best of my abilities, of the document in Spanish which I have seen.

Certified Translation

To: Antonio Valiente
Cc: maribeigonzalez@cemex.com
Subject: RE: American Waste
Sensitivity: Private

Antonio

About an hour ago authorization was given for removal of the American Waste containers, based on Canopi's authorization. At this time I have been unable to contact my client regarding this development. I suggest that since it was coordinated that American Waste would pick up the containers in the morning, subject to inspection by Cemex employees, your client should contact American Waste directly and advise them of this change in the authorization.

Rafael Mullet
Tel. 787 751-8999
Fax 787 763-7760

From: Antonio Valiente [mailto:antonio@nf-legal.com] Sent: Thursday, June 28, 2007 5:07 PM
To: rem@tcmrslaw.com
Cc: Nilda Carrasquillo
Subject: RE: American Waste
Sensitivity: Private

Dear Atty. Mullet,

My client Ecoterra tells me the following:

My client has been made aware that AWMR personnel intend to remove from the plant in the 8 containers for which authorization was requested, the most valuable material, selectively, in flagrant violation of the contractual agreement with Cemex.

In view of this situation and to protect its contractual rights and obligations, my client revokes the prior authorization for the removal of said containers and requests an urgent meeting with representatives from Cemex and your company to resolve this matter.

From: Antonio Valiente
Sent: Thursday, June 28, 2007 2:41 PM
To: 'rem@tcmrslaw.com'
Cc: Nilda Carrasquillo
Subject: American Waste
Sensitivity: Private

Dear Atty. Mullet,

In response to our communication, requested in correspondence from American Waste (AWMR) counsel, we are advising the following.

- The eight (8) loaded containers at the CEMEX facilities in Ponce should proceed to be removed. We are limiting ourselves to answer this question since we do not want to belabor, refute, question, or, quite frankly, engage in needless quibbling with other unfounded and/or self-serving statements made by AWMR.

I, Juan E. Segarra, USCCI/Translator, certify that the foregoing is a true and accurate translation, to the best of my abilities, of the document in Spanish which I have seen.

Certified Translation

- Regarding Ecoterra, we cannot allow AWMR to determine what personnel should be used. Nothing more need be said; Ecoterra will designate the person that Ecoterra deems reliable who is also authorized by CEMEX. Under the circumstances, and if CEMEX deems that it is appropriate, we recommend that an inventory be performed on such AWMR machinery and property as may be at the plant. A list should also be drawn up of the machinery, equipment and/or property that is removed from the plant, as well as a list of the property that remains at the plant. In my view it is important to go through all three (3) exercises since, knowing how AWMR operates, it is better to have gone through all of them. In fact, as we see it, and as we advised AWMR earlier, they should take advantage of this opportunity to remove all of their belongings from the plant.

- The third issue brought up by AWMR does not warrant a response by Ecoterra and, if you will forgive the formality, if a response were required, it is denied.

I trust that this will be acceptable to CEMEX. Do not hesitate to contact the undersigned if you deem it advisable.

ANTONIO VALIENTE, ESQ.
NIGAGLIONI & FERRAIUOLI, PSC
P.O. Box 195384
San Juan, Puerto Rico 00919-5384
Tel: 787-765-9966
Fax: 787-751-2520
E-Mail: antonio@nf -legal.com

CONFIDENTIALITY NOTE: This E-Mail contains information that is Attorney-Client Privileged and/or Confidential, intended only for the use of the above-mentioned recipient(s). If you are not the intended recipient, be advised that any dissemination, distribution or copying of this E-Mail is strictly prohibited. If you receive this communication in error, please notify the sender immediately at 787-765-9966.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.9.10/876 - Release Date: 6/28/2007 10:56 AM

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.9.10/876 - Release Date: 6/28/2007 10:56 AM

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.9.10/876 - Release Date: 6/28/2007 10:56 AM

I, Juan E. Segarra, USCCI/Translator, certify that the foregoing is a true and accurate translation, to the best of my abilities, of the document in Spanish which I have seen.